Search Home Help

Web Images Video NEW! Directory Local News Production SEA Retrid for providing a composite data signal with successive logic Searchs

Shortcuts Advanced Search Preferences

Search Results 1 - 10 of about 63 for method for providing c

octoral Dissertation Abstracts (UNC-CH Computer Science) ®

octoral Dissertation Abstracts. This dissertation surveys existing constraint satisfaction technic **rocessing** some building models can radically reduce ... of the Gaussians. **Data values** are normulas ...

ww.cs.unc.edu/Publications/PHDAbstracts.html - 457k - Cached - More from this site

ob Slade's Security Glossary ^自

ilossary of Communications, Computer, **Data**, **and** Information Security Terms. (maintained by TC, in a hotel room in Heathrow, actually) ... **a processing** activity ... **method of** achieving co **ata**. See also steganography. Concept probably the **first** ...

un.soci.niu.edu/~rslade/secgloss.htm - 361k - Cached - More from this site

he Guide to Digital Television: DTV Glossary [□]

ilossary of Digital Television Terms. (This file is very large -- please let it fully download before ata representation of that signal ... next serial signal (TRS-ID for composite and EAV/SAV f ww.digitaltelevision.com/dtvbook/glossary.shtml - 160k - Cached - More from this site

igital Television: Glossary व

ilossary of Digital Television Terms. (This file is very large -- please let it fully download before ata representation of that signal ... next serial signal (TRS-ID for composite and EAV/SAV f www.digitaltelevision.com/dtvbook/glossaryf.htm - 161k - Cached - More from this site

ilossary 电

DC, Inc Glossary. 2:3 pull-down: **Method** used to map the 24 fps of film onto the 30 fps (60 fie tc. ... of an analog **signal** into the digital **data** representation of that **signal** ... next serial **signa** www.dtvconsultants.com/toppage7.htm - 183k - <u>Cached</u> - <u>More from this site</u>

ttp://www.ibiblio.org/patents/txt/sofpat.txt ₽

ITLES TO 2700 SOFTWARE PATENTS ISSUED IN 1992 and 1993 Greg Aharonian Internet | PEECH RECOGNITION and ... and image data processing Image forming apparatus Metho ww.ibiblio.org/patents/txt/sofpat.txt - 222k - Cached - More from this site

ttp://lpf.ai.mit.edu/Patents/abstracts/2700-list €

ITLES TO 2700 SOFTWARE PATENTS ISSUED IN 1992 and 1993 Greg Aharonian Internet compression, and Signal Processing sections of the ... and image data processing Image for f.ai.mit.edu/Patents/abstracts/2700-list - 227k - Cached - More from this site

ttp://lpf.ai.mit.edu/Links/prep.ai.mit.edu/patent-list

. **processing for composite** images filed 1/10/83 granted 7/22/86 `4,612,532 **Data** compress **rst** segment ...

of.ai.mit.edu/Links/prep.ai.mit.edu/patent-list - 119k - Cached - More from this site

ilossary 电

ERVICE. LINKS. GRANBY TV. GLOSSARY. Glossary of Digital Television Terms. (This file is sed to map ... of an analog **signal** into the digital **data** representation of that **signal** ... next segmant www.granbytv.com/glossary.htm - 191k - <u>Cached</u> - <u>More from this site</u>

igital Television: Glossary व

ilossary of Digital Television Terms. (This file is very large -- please let it fully download before ata representation of that signal ... next serial signal (TRS-ID for composite and EAV/SAV f www.silverknight.com/consulting/dtvbook/glossaryf.shtml - 162k - Cached - More from this site Results Page:

1 2 3 4 5 6 Next

 Web | Images | Video NEW! | Directory | Local | News | Products ♥

 Your Search: method for providing a composite data signal with successive logic
 Search:

Help us improve your search experience. Send us feedback.

Search Home Help

Web Images Video NEW! Directory Local News Production SEA Reside for providing a composite data signal with successive logic Search

Shortcuts Advanced Search Preferences

Search Results 11 - 20 of about 57 for method for providing

Itbeam 🖶

rom: Wilf Rigter <wilf.rigter@p...> Date: Sat Apr 22, 2000 5:27 am. Subject: uSERVO3. <<USI ontrollers. ... Because of a disturbance in **first and** ... animals) using a differential sensing **me** eighbor topology. **Data** is ...

ww.solarbotics.net/wilf/Altbeam/Altbeam_files/Altbeam.htm - 314k - Cached - More from this s

iLOSSARY OF COMPUTERIZED SYSTEM AND SOFTWARE DEVELOPMENT TERMINOLC iLOSSARY OF COMPUTERIZED SYSTEM AND SOFTWARE DEVELOPMENT TERMINOLC ersonnel. ... separation of the **logical** properties **of data** or function ... about separating **data** a rhen the **values of** ...

ww.fda.gov/ora/inspect_ref/igs/gloss.html - 212k - Cached - More from this site

ilossary of Networking Terms [□]

. a digital **signal** which varies between two constant **values** ... Access **method providing** sup **ata processing** ...

ww.accsystems.com/glossary.htm - 176k - Cached - More from this site

calable Vector Graphics (SVG) 1.2 ^电

calable Vector Graphics (SVG) 1.2. W3C Working Draft 26 February 2004. Abstract ... values iterface. 17.7 SVGTimer Interface. 17.8 Better network data ... of text (in successive ... first v ww.w3.org/TR/2004/WD-SVG12-20040226 - 337k - Cached - More from this site

calable Vector Graphics (SVG) 1.2 [□]

calable Vector Graphics (SVG) 1.2. W3C Working Draft 18 March 2004. Abstract ... separating **pgical** order (see Calculating ... in characer **data for** the **first** selected character readonly ... www.w3.org/TR/2004/WD-SVG12-20040318 - 362k - <u>Cached</u> - <u>More from this site</u>

<u>PRegan, J. Kevin and Noe, Alva: A sensorimotor account of vision and visual consciousness.</u> o be published in Behavioral and Brain Sciences (2001) 24:5 (issue number to be determined) arget article that has been accepted for publication.

bsonline.cup.cam.ac.uk/**Pre**prints/ORegan - 298k - <u>Cached</u> - <u>More from this site</u>

PF GLOSSARY [□]

'NIVERSAL PRESERVATION FORMAT GLOSSARY. TERMS AND CROSS-DOMAIN DEFIN formation. Each pixel is either on or off. Normally, "on" is white and "off" is black. ... values at lust be promoted to 24 bit first ... signal to digital data ...

ıfo.wgbh.org/upf/glossary.html - 505k - Cached - More from this site

<u>'Regan, J. Kevin and Noe, Alva (2001) A sensorimotor account of vision and visual conscious</u>. **A first** law distinguishing visual percepts from ... of the different sensory modalities, thereby position[14 ...

bsonline.cup.cam.ac.uk/documents/a/00/00/04/17/bbs00000417-00 - 297k - Cached - More fro

europhilosophy 🖻

fter so many years of laboring within the confined university walls of academe, retirement been not outright ... by **first** focusing on visual **processing of** sense-phenomenal **data** from ... symbelsierra-sheffer.net - 528k - <u>Cached</u> - <u>More from this site</u>

ttp://www.laynetworks.com/download/all.txt ₽

ne computer to query a database on another; it is used by WAIS Z Z39.50 Information Retriev DT Abstract **Data** ... **data** to one of the other based on a set of criteria. bridge Networking hard rst ...

ww.laynetworks.com/download/all.txt - 513k - Cached - More from this site

Results Page:

<u>Prev</u> ◀ <u>1</u> 2 <u>3</u> <u>4</u> <u>5</u> ▶ <u>Next</u>

 Web | Images | Video NEW! | Directory | Local | News | Products

 Your Search: method for providing a composite data signal with successive logic

| Search | Search

Help us improve your search experience. Send us feedback.

Search Home Help

Web Images Video NEW! Directory Local News Production SEA Rend for providing a composite data signal with successive logic Search

Shortcuts Advanced Search Preferences

Search Results 21 - 30 of about 56 for method for providing

iLOSSARY OF COMPUTERIZED SYSTEM AND SOFTWARE DEVELOPMENT TERMINOLC iLOSSARY OF COMPUTERIZED SYSTEM AND SOFTWARE DEVELOPMENT TERMINOLC ersonnel. ... separation of the **logical** properties **of data** or function ... about separating **data** a then the **values of** ...

adreinc.com/.../GLOSSARY-OF-COMPUTERIZED-SYSTEM-AND-SOFTWARE.html - 197k -

:onklin87 [□]

. 2) collect **data**, (3) analyze the **data**, (4) construct a solution ... many viewpoints, ideas, **valu** bjects, and ...

lib.cs.berkeley.edu/docs/data/pl/.../3/HTML/0000001.html - 170k - Cached - More from this si

elease of V5.40 TNT products 电

elease of V5.40 TNT products. July 1996. Table of Contents. MicroImages is pleased to distril nage **Processing** System (TNTmips). ... a raster object whose cell **values** are the minimum .. ffine conversion for fast display where the **composite** ...

ww.microimages.com/relnotes/v54/rel54.htm - 205k - Cached - More from this site

calableVectorGraphicsDraft - ESW Wiki ®

ocument Work. (This was originally **a copy of** http://www.w3.org/TR/SVG12/; perhaps people /3CinPlainEnglish. ... separating the **logical** order of text (in **successive** flowDiv elements) frc sw.w3.org/topic/ScalableVectorGraphicsDraft - 375k - <u>Cached</u> - <u>More from this site</u>

upraSite is your Electronic Graphics Authority ₱

. A logical method of ... first uses of computer graphics, and still one of the most common ar composite video signal ...

ww.suprasite.com/def.php - 234k - <u>Cached</u> - <u>More from this site</u>

ttp://www.paperloop.com/db_area/dictionary.db 면

A-FLUTE The corrugated section of a paperboard box that is approximately 3/C1616 -inch thi redium, averaging 34-36 per linear foot. ... Abrasion Tester, which reports **values** in abrasion rulti-folding a sheet of paper so that each **successive** fold ...

ww.paperloop.com/db_area/dictionary.db - More from this site

ilossary 电

ilossary of Network Terms. Please wait for the glossary to download entirely. A. ACD (Automa rovides, for handling many incoming calls. ... a digital **signal** which varies between two consta reated to represent **data** in particular types **of data processing** ...

ww.ramassociates.com/glossary.htm - 235k - Cached - More from this site

ttp://www.semantikon.com/design/The%20Civilization%20of%20Illiteracy.txt

nd what for? ... revisited The first record is a whip Scale and ... the business of quantifying da

a world of pre ...

ww.semantikon.com/design/The Civilization of Illiteracy.txt - More from this site

efinitions [□]

efinitions. ACD (Automatic Call Distribution/Distributor) A specialized phone system, or the se etween two constant **values** ... Access **method providing** support for ... **logical** format. It was ww.ddcnetworking.com/HelpDesk/definitions.htm - 186k - <u>Cached</u> - <u>More from this site</u>

ttp://www.audiencedialogue.org/bnc15000num.txt [□]

. did 106833 people 106782 **first** 106363 very 102439 after 101478 ... section 17248 building 592 ability 8587 housing ...

ww.audiencedialogue.org/bnc15000num.txt - 194k - <u>Cached</u> - <u>More from this site</u>

Results Page:

 Web | Images | Video NEW! | Directory | Local | News | Products ♥

 Your Search: method for providing a composite data signal with successive logic

Help us improve your search experience. Send us feedback.

Search Home Help

Web Images Video NEW! Directory Local News Production SEA Rend for providing a composite data signal with successive logic Search

Shortcuts Advanced Search Preferences

Search Results 31 - 40 of about 56 for method for providing

LOSE-UP with Joe Fedele -- Telecommunications and Internetworking Terms
LOSE-UP- An Internet News Magazine for Broadcast Professionals. Hosted By. Joe Fedele. aries between two constant values ... Access method providing support for ... logical formated dele.com/website/tech/tel-glos.htm - 176k - Cached - More from this site

ttp://multimedia.utsa.edu:16080/technology/3313/general/glossary.html 면

. **segments of** the envelope. See envelope. AES/EBU null clock. The word clock **data** imbedd rotection. Any **method** ...

nultimedia.utsa.edu:16080/technology/3313/general/glossary.html - 192k - Cached - More from

ttp://www.eecs.harvard.edu/~pesha/Public/BIEN/gawk/lemma [□]

okenInit a. ... 19th nineteenth 1st first 20th twentieth 20 twenty ... TokenName copies copy of ata data dataflow data date ...

ww.eecs.harvard.edu/~pesha/Public/BIEN/gawk/lemma - 145k - Cached - More from this site

lossary of Networking Terms 电

ilossary of Telecommunications and Internetworking Terms. A. ACD (Automatic Call Distributionary incoming calls. ... a digital **signal** which varies between two constant **values** ... Access **m** articular types **of data processing** ...

ww.fullermind.com/public_html/Projects/HSN/PT5/Glossary.htm - 223k - Cached - More from:

calable Vector Graphics (SVG) 1.2 ^由

calable Vector Graphics (SVG) 1.2. W3C Working Draft 10 May 2004. Abstract ... separating t **ygical** order (see Calculating ... in characer **data for** the **first** selected character readonly ... ww.ty9run.com/TR/2004/WD-SVG12-20040510 - 360k - <u>Cached</u> - <u>More from this site</u>

ilossary of Networking Terms [□]

. a digital **signal** which varies between two constant **values** ... Access **method providing** sup **ata processing** ...

lpha.fdu.edu/~levine/networks/sachar/gloss.htm - 173k - Cached - More from this site

ETSL (New England Technical Services Librarians): Past Programs/Conferences

. the editor of the **first** edition of AACR2 and ... and so on. In **copy** cataloging, the contents of ww.nelib.org/netsl/pastprograms.htm - 267k - <u>Cached</u> - <u>More from this site</u>

ttp://wortschatz.uni-leipzig.de/Papers/top10000en.txt ®

- . last only after ${f first}$ time says He ... use because any ${f data}$ there them government ... ${f compo}$: ${f roviding}$ format ...
- ortschatz.uni-leipzig.de/Papers/top10000en.txt 80k Cached More from this site

<u>Iecronics Music Dictionary</u> [□]

lick on the alphabet below to access the desired term. A B C D E F G H I J K L M N O P Q R sow ... for digital **signal processing**. The ADC is the **first** ... **composite** video. A video **signal** nusicnet.ch**and**ra.ac.th/eng/elec-dic.htm - 257k - <u>Cached</u> - <u>More from this site</u>

ilossary of Computing Terms ^日

. Access **method providing** support for time ... an analogue **signal** whose **values** constantly **rocessing and** ...

ww.midnight-computing.com/midcote/glossary.htm - 194k - <u>Cached</u> - <u>More from this site</u> **Results Page:**

Prev ◀ 1 2 3 4 5 ▶ Next

 Web | Images | Video NEW! | Directory | Local | News | Products ♥

 Your Search: method for providing a composite data signal with successive logic
 Search

Help us improve your search experience. Send us feedback.

Search Home Help

Web Images Video NEW! Directory Local News Production SEA Rend for providing a composite data signal with successive logic Search.

<u>Shortcuts</u> <u>Advanced Search</u> <u>Preferences</u>

Search Results 41 - 46 of about 56 for method for providing

wanaNet: Exploitation of the IULA's LSP Corpus ^{to}

oken frequency on the English corpus ... must 2387 those 2344 **first** 2329 new 2329 system 2 nplementation 594 **values** 593 parts 592 molecule 592 ...

rangaene.upf.es/proves/freqwordEN txt.htm - 524k - Cached - More from this site

he Export of Goods (Control) Order 1992 면

tatutory Instrument 1992 No. 3092. The Export of Goods (Control) Order 1992 - continued. SC ART I. Group 1 ... 2. Materials **Processing**. 2A Equipment, Assemblies and Components ... b om mechanically fixed electrical ...

ww.wales-legislation.hmso.gov.uk/si/si1992/Uksi_19923092_en_2.htm - More from this site

<u>"¹Ò¹Ø¡ÃÁ'¹µÃÕĺÔàÅ¡·Ãĺ¹Ô¤</u> 🖶

Å×ĺ¡"Ò¡ĺÑ¡ÉõÑÇáá¢ĺ§¤Ó·Õèµéĺ§¡ÒÃ. A B C D E F G H I J K L M N O P Q R S T U V W X \
DC is the **first** ... **composite** video. A video **signal** combining luminance, chrominance, and s usicnet.ch**and**ra.ac.th/thais/elec-dic.htm - 256k - Cached - More from this site

ttp://www.fi.muni.cz/~pary/ib047/textutils/s1 唱

641 the 4695 of 3373 and 3161 to 3064 a 2853 in 1368 he 1335 that 1250 is 1233 was 1147 from 173 man 172 **first** 167 now 166 me 164 ... increase 32 early 32 **data** 32 close 32 chlorine www.fi.muni.cz/~pary/ib047/textutils/s1 - 230k - <u>Cached</u> - <u>More from this site</u>

er to show you the most relevant results, we have omitted some entries very similar to the one like, you can repeat the search with the omitted results included.

Results Page:

Prev **1** 1 2 3 4 5

 Web | Images | Video NEW! | Directory | Local | News | Products ♥

 Your Search: method for providing a composite data signal with successive logic
 Search

Help us improve your search experience. Send us feedback.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Publications/Services Standards Conferences Careers/Jobs

Welcome

United States Patent and Trademark Office

Ų



Help FAQ Terms IEEE

Quick Links

Peer Review

Welcome t	o IEEE	Xplore*
-----------	--------	---------

- O- Home
- O- What Can I Access?
- C Log-out

Tables of Contents

- Journals & Magazines
- Conference **Proceedings**
- O- Standards

Search

- O- By Author
- O- Basic
- Advanced
- O- CrossRef

Member Services

- C Establish LEEE Web Account
- O- Access the **IEEE Member Digital Library**

IEEE Enterprise

O- Access the **IEEE Enterprise File Cabinet**

Print Format

Your search matched 2 of 1123491 documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search express or entering a new one in the text box.

(embedding <or> embedded) <and> (portion <or> segn

Search

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standar

1 Generation and reception of ultrasonic guided waves in composite plates using conformable piezoelectric transmit and optical-fiber detectors

Gachagan, A.; Hayward, G.; McNab, A.; Reynolds, P.; Pierce, S.(Philp, W.R.; Culshaw, B.;

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transacti on , Volume: 46 , Issue: 1 , Jan. 1999 Pages:72 - 81

[Abstract] [PDF Full-Text (1444 KB)] **IEEE JNL**


2 Generalized scattering matrices for unit cell characterization of grid amplifiers and device de-embedding Epp, L.W.; Perez, P.M.; Smith, R.P.;

Antennas and Propagation Society International Symposium, 199 AP-S. Digest, Volume: 2, 18-23 June 1995 Pages:1288 - 1291 vol.2

[Abstract] [PDF Full-Text (188 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release

Day : Saturday



• PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = WONG First Name = DOUGLAS

Application#	Patent#	Status	Date Filed	Title	Inventor Name 4
60087017	Not Issued	159		PRE-PROCESSED INFORMATION EMBEDDING SYSTEM	WONG, DOUGLAS
10716159	Not Issued	030		LED CODIL AD CHIEF CONTINUE	WONG, DOUGLAS N.
10148161	Not Issued	071	05/28/2002	OVERSAMPLED FILTER BANK FOR SUBBAND PROCESSING	WONG, DOUGLAS
09721015	Not Issued	071		PRE-PROCESSED INFORMATION EMBEDDING SYSTEM	WONG, DOUGLAS

Inventor Search Completed: No Records to Display.

Search Another: Inventor Wong Gouglas Search

To go back use Back button on your browser toolbar.

Back to $|\underline{PALM}|$ ASSIGNMENT | OASIS | Home page

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp		
L1	6	("5502576" or "5636292" or "5893067").pn.	USPAT; DERWENT	OR	ON	2005/02/05 11:46		
L2	5	1 and embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 11:47		
L3	0	2 and (logical adj value)	USPAT; DERWENT	OR	ON	2005/02/05 11:47		
L4	5	2 and (value)	USPAT; DERWENT	OR	ON	2005/02/05 11:47		
L5	1	4 and (control adj signal)	USPAT; DERWENT	OR	ON	2005/02/05 11:47		
L6	1	5 and composite	USPAT; DERWENT	OR	ON	2005/02/05 11:49		
L7	2656	composite with (control adj signal)	USPAT; DERWENT	OR	ON	2005/02/05 11:49		
L8	482	7 with first with second	USPAT; DERWENT	OR	ON	2005/02/05 11:49		
L9	2	8 with segment	USPAT; DERWENT	OR	ON	2005/02/05 11:50		
L10	0	9 and embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 11:50		
L11	17	8 and embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 11:51		
L12	4	11 and segment	USPAT; DERWENT	OR	ON	2005/02/05 11:55		
L13	26598	copy with first segment with embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 11:57		
L14	1405	13 with value	USPAT; DERWENT	OR	ON	2005/02/05 11:56		
L15	7	14 and (copy with second with segment with value)	USPAT; DERWENT	OR	ON	2005/02/05 11:59		
L16	1	15 and (composite with control)	USPAT; DERWENT	OR	ON	2005/02/05 12:00		
L17	0	copy with first with segment with embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 11:57		
L18	0	copy with (first adj segment) with embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 11:58		
L19	0	(first adj segment) with embed\$4 with value	USPAT; DERWENT	OR	ON	2005/02/05 11:58		
L20	9	(first adj portion) with embed\$4 with value	USPAT; DERWENT	OR	ON	2005/02/05 12:08		
L21	0	20 and (copy with second with segment with value)	USPAT; DERWENT	OR	ON	2005/02/05 11:59		
L22	0	20 and ((second adj segment) with value)	USPAT; DERWENT	OR	ON	2005/02/05 11:59		

L23	8	20 and ((second adj portion) with value)	USPAT; DERWENT	OR	ON	2005/02/05 11:59
L24	0	23 and (composite with control)	USPAT; DERWENT	OR	ON	2005/02/05 12:00
L25	1	23 and (composite and control)	USPAT; DERWENT	OR	ON	2005/02/05 12:04
L26	23715	"382"/\$3.ccls.	USPAT; DERWENT	OR	ON	2005/02/05 12:08
L27	2309	26 and embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 12:05
L28	14	27 and (first adj portion) with value	USPAT; DERWENT	OR	ON	2005/02/05 12:05
L29	14	14 and ((second adj portion) with value)	USPAT; DERWENT	OR	ON	2005/02/05 12:06
L30	1231	"382"/232.ccls.	USPAT; DERWENT	OR	ON	2005/02/05 12:08
L31	229	30 and embed\$4	USPAT; DERWENT	OR	ON	2005/02/05 12:08
L32	0	31 and (first adj portion) with embed\$4 with value	USPAT; DERWENT	OR	ON	2005/02/05 12:08
L33	9	(first adj (portion or segment)) with embed\$4 with value	USPAT; DERWENT	OR	ON	2005/02/05 12:09
L34	0	33 and compsite and control	USPAT; DERWENT	OR	ON	2005/02/05 12:09
L35	1	33 and composite and control	USPAT; DERWENT	OR	ON	2005/02/05 12:12
L36	1	"282734".pn.	EPO; JPO	OR	ON	2005/02/05 12:12
L37	0	embed\$4 with (first adj segment) with (logical adj value)	USPAT; DERWENT	OR	ON	2005/02/05 12:13
L38	0	embed\$4 with (first adj portion) with (logical adj value)	USPAT; DERWENT	OR	ON	2005/02/05 12:13
L39	9	embed\$4 with (first adj portion) with (value)	USPAT; DERWENT	OR	ON	2005/02/05 12:13
L40	0	39 and ((second adj protion) with value)	USPAT; DERWENT	OR	ON	2005/02/05 12:14
L41	8	39 and ((second adj portion) with value)	USPAT; DERWENT	OR	ON	2005/02/05 12:14
L42	0	41 and (composite with (control adj signal))	USPAT; DERWENT	OR	ON	2005/02/05 12:14
L43	0	41 and (composite with control)	USPAT; DERWENT	OR	ON	2005/02/05 12:14
L44	1	41 and (composite and control)	USPAT; DERWENT	OR	ON	2005/02/05 12:15
L45	0	embed\$4 with (first adj portion) with value	EPO; JPO	OR	ON	2005/02/05 12:16

L46	10	embed\$4 with (first adj portion)	EPO; JPO	OR	ON	2005/02/05 12:16
L47	8	46 and (second adj portion)	EPO; JPO	OR	ON	2005/02/05 12:16
L48	0	47 and (logical adj value)	EPO; JPO	OR	ON	2005/02/05 12:16
L49	0	47 and value	EPO; JPO	OR	ON	2005/02/05 12:16
L50	0	47 and composite	EPO; JPO	OR	ON	2005/02/05 12:16
L51	0	47 and composite	EPO; JPO	OR	ON	2005/02/05 12:16
L52	1	47 and control	EPO; JPO	OR	ON	2005/02/05 12:16

	U	1	Do	ocument ID	Issue Date	Page s	Title
1			US A	5490134	19960206	i	Versatile communications controller
2			US A	4199788	19800422	26	Video special effects generator
3			US A	4176379	19791127		Video input circuits for video hard copy controller
4			US A	4149190	19790410		Automatic gain control for video amplifier

	Current OR	Current XRef	Retrieva l Classif	Inventor	s	С	P	2	3
1	370/466	340/3.1		Fernandes; Roosevelt A. et al.	X				
2	348/594	348/597		Tsujimura; Katsuhito	Х				
3	358/409	348/682; 358/446	I	Wessler; Louis E. et al.	X 、				
4	348/682	348/678; 358/446		Wessler; Louis E. et al.	х				

	4	5	Image Doc. Displayed	PT
1			US 5490134	
2			US 4199788	
3			US 4176379	
4			US 4149190	